

MODEL



FRAME COLORS

Ral 1013

Beige Limestone

ICFRAMELIME2N_UX

Ral 9005*

Black

ICFRAMEBLACK2N_UX

*Not available in every country, check with your sales contact for more information

FABRIC COLORS

Natural




ICARUSCOVER2N-NATUR

Canvas




ICARUSCOVER2N-CANVA

Grey



ICARUSCOVER2N-GREY

Taupe



ICARUSCOVER2N-TAUPE

Marble



ICARUSCOVER2N-MARBL

Sand



ICARUSCOVER2N-SAND

Flanelle



ICARUSCOVER2N-FLANE

Black



ICARUSCOVER2N-BLACK

BASES


TOPPLATE



RAL 1013 - Beige limestone
LIMEBASETOPPLATEUX




RAL 9005 - Black
BLACKBASETOPPLATEUX




Thermo poplar*
WOODBASETOPPLATEUX

BASE FRAME




RAL 1013 - Beige limestone
LIMEBASEFRAMEUX



RAL 9005 - Black
BLACKBASEFRAMEUX

DIMENSIONS



+/- 2% -----		A	B	C	D	E	F	G	H	I	J
		cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft
Icarus		255/8' 4.4"	260/8' 6.4"	44/1' 5.3"	240/7' 10.5"	260/8' 6.4"	250/8' 2.4"	150/4' 11"	380/4' 5.6"	300/9' 10"	300/9' 10"


DIMENSIONS BASE



Wheelset included
Recommended weight for tiles : 177 kg or 389.4 lbs
Recommended tiles Europe – 40x40x4,5 cm // USA – 16"x16"x1.75"
You need 12 tiles for the Large Tile Base UX – see manual.

Base dimensions	L x W x H cm	L x W x H ft	weight kg/lbs
Powder coated topplate	88,8x88,8x22	34.96"x34.96"x8.66"	32/70.4
Wood topplate	88,8x88,8x24	34.96"x34.96"x9.45"	32/70.4

ROUND SUPPORT



Geomet (marine grade)
coated steel 8mm/0.3"
Nylon 1mm/0.04"

	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch
Round support	40/1,57"	40/1,57"	3/0.12"	140/5.5"	105/4.1"	11/0.43"	490/1'7.3"

MATERIALS



FABRIC

Colorum – 100% Acryl 260 gr/m²
More details – see spec sheet
Fabrics



RIBS

Glass fiber Ø 12mm/0.46"




POLE

Aluminum powder coated RAL
1013 Beige Limestone or RAL
9005 Black

OTHER MATERIALS

Sliding blocks: nylon - self lubricating
Handle: stainless steel and aluminum
powder
coated RAL 1013 or RAL 9005 TEC



BASE FRAME

Galvanised steel, powder coated
RAL 9005 Black, RAL 1013 Beige
Limestone



BASE TOPPLATE

Galvanised steel, powder coated
RAL 9005 Black, RAL 1013 Beige
Limestone,
Wooden cover Thermo Poplar*

For projects – consult Umbrosa for powder coating finish options (RAL).
Contact us for the details on the MOQ.

*Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

PACKAGING & TRANSPORT

ICARUS UX	L (cm)	W (cm)	H (cm)	Weight (kg)	L (ft)	W (inch)	H (inch)	Weight (lbs)
Umbrella box	307	63	31	35	10'0.9"	2'0.8"	1'0.2"	77
Base L UX Sand/Full Black	88.8	88.8	16.5	32 kg	2'11"	2'11"	6.5"	70.4
Base L UX Sand package/Full Black	95	95	20	33 kg	3'1.4"	3'1.4"	7.8"	72.6

NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 10 and 2 years, please consult our warranty policy at www.umbrosa.com
- Download owner's manual (QR-code included), also available at www.umbrosa.com
- Protection cover included (Colorum Flanelle)
- Wind speeds up to 5 beaufort, 30 km/h, 18 mph when base is permanently fixed.
- Tested at TU Delft

SAFETY STATEMENTS & WARNINGS

- Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.